



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

MET LABORATORIES, INC
914 West Patapsco Avenue
Baltimore, MD 21230
Frank Casbolt Phone 410 949 1867
Frank.Casbolt@metlabs.com <http://www.metlabs.com>

ELECTRICAL

Valid to: January 31, 2019

Certificate Number: 0591.01

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the organization's compliance with A2LA's EPA ENERGY STAR[®] Accreditation Program¹ requirements), accreditation is granted to this laboratory to perform the following Electrical, EMC, Radio, Product Safety, Telecom, Environmental Simulation, Bluetooth, Fiber Optics and RF Exposure tests:

Test Technology

Test Method(s)^{2,3}

Product Safety Tests

- Dielectric Strength
- Input Current
- Input Power
- Leakage Current
- Force Withstand Test
- Impact Ball Test
- Ground Impedance
- Strain Relief Test
- Heat Rise - Thermocouple Method
- Tilt Test
- Temperature Conditioning
- Humidity Conditioning
- Flammability (UL 94V0)
- Ball Pressure Test
- Impact Hammer Test
- Icing
- Rain/Hose Down Test
- Heat Rise - Rise of Resistance Method
- Impulse Test of UL/CSA 60950-1
- Mold Stress
- Abnormal Operation (component failure)

CSA C22.2 series of product safety standards including:
No. 9; No. 10; No. 12; No. 13; No. 14; No. 25; No. 30;
No. 36; No. 46; No. 64; No. 66; No. 68; No. 71.1;
No. 88; No. 89; No. 94; No. 107.1; No. 107.2; No. 108;
No. 109; No. 113; No. 114; No. 117; No. 118; No. 120;
No. 122; No. 125; No. 128; No. 142; No. 150; No. 151;
No. 157; No. 166; No. 173; No. 174; No. 191; No. 195;
No. 205; No. 213; No. 221; No. 223; No. 224; No. 231;
No. 236; No. 280; No. 301; No. 601.1; No. 745-1;
No. 60601-1 (*Excluding Risk Assessment*);
No. 60601-2-2; No. 60601-2-7; No. 60601-2-18;
No. 60601-2-22; No. 60601-2-34; No. 60601-2-37;
No. 60601-2-38; No. 60601-2-40; No. 60601-2-46;
No. 60601-2-49; No. 60601-2-51; No. 60601-2-54;
No. 60745-2-1; No. 60745-2-2 (*Excluding Hammer Test*);
No. 60745-2-3 to -6; No. 60745-2-8; No. 60745-2-9;
No. 60745-2-11; No. 60745-2-12; No. 60745-2-14;
No. 60745-2-17; No. 745-2-30; No. 745-2-31;
No. 745-2-32; No. 745-2-33; No. 745-2-34;
No. 745-2-35; No. 745-2-36; No. 745-2-37;
No. 60065; No. 60947-1; No. 60947-4-1;
No. 60950-1; No. 61010-1; No. 61010-2-10;
No. 61010-2-32; No. 61010-2-42; No. 61010-2-43;
No. 61010-2-45; No. 61010-2-51; No. 61010-2-61;
No. 61010-2-81; No. 61010-2-101;

Test Technology

Test Method(s)^{2,3}

Product Safety Tests (cont'd)

CSA C22.2 (cont'd):
No. E60335-1; No. E60335-1/4E; No. E60335-2-3;
No. E60335-2-6; No. E60335-2-7; No. E60335-2-11;
No. E60335-2-16; No. E60335-2-21; No. E60335-2-23;
No. E60335-2-25 to -30; No. E60335-2-32;
No. E60335-2-34 to -43; No. E60335-2-45;
No. E60335-2-47 to -52; No. E60335-2-54;
No. E60335-2-56; No. E60335-2-58; No. E60335-2-62;
No. E60335-2-64; No. E60335-2-67; No. E60335-2-68;
No. E60335-2-69; No. E60335-2-76; No. E60335-2-82;
IEC/EN/CAN/CSA E60079-0, 1, 2, 5, 6, 7, 11,
14, 15, 18, 26, 28, and 31; EN/ISO 80079-36 and 37;
EN 60204-1; EN 60215; IEC 60745-1 and all part 2's;
EN 60601-1 and all part 2's (*Excluding clauses 29 and 59*); AS/NZS/EN 60950-1 (*Excluding clauses detailed in Table #1 below⁴*); IEC 60950-22; EN 60065 (*Excluding clauses detailed in Table #2 below⁴*); EN 61010-1 and all part 2's (*Excluding clauses detailed in Table #3 below,⁴ and EN 61010-2-51, Clause 5.4.4.101 Steam Cleaning*); EN 60335-1 (*Excluding clauses detailed in Table #4 below⁴*); IEC/EN/UL 60335-2 (*Excluding clauses detailed in Table #5 below⁴*); UL 2735; UL 2735C;
IEC/EN/EN/CSA/UL 60079-18, 26, 28, 31;
ULC 60839-11-1; EN/ISO 80079-36, 37; 16 CFR 1505

Energy Efficiency

Energy Efficiency for
Telecommunications Equipment:
Methodology for Measurement and
Reporting – Server Requirements

ATIS-0600015.01.2014

Energy Efficiency for
Telecommunications Equipment:
Methodology for Measurement and
Reporting – Transport Requirements

ATIS-0600015.02.2016

Energy Efficiency for
Telecommunications Equipment:
Methodology for Measurement and
Reporting – Router and Ethernet Switch
Products

ATIS-0600015.03.2013

Test Procedure for the Measurement of
Energy Consumption of Set-Top Boxes
(STBs)

CET-2043; CSA C380-08

Test Method for Calculating the Energy
Efficiency of Single-Voltage External
AC-DC and AC-AC Power Supplies

CSA C381.1-08



Test Technology

Test Method(s)^{2,3}

Battery Charging Systems

IEC Standard 61951-1: Secondary Cells and Batteries Containing Alkaline or Other Non-acid Electrolytes – Portable Sealed Rechargeable Single Cells – Part 1: Nickel-cadmium, Ed. 2.1, January 2006;
IEC Standard 61951-2 Secondary Cells and Batteries Containing Alkaline or Other Non-acid Electrolytes – Portable Sealed Rechargeable Single Cells – Part 2: Nickel-metal hydride, Ed. 2.0, April 2003;
IEC Standard 61960: Secondary Cells and Batteries Containing Alkaline or Other Non-acid Electrolytes – Secondary Lithium Cells and Batteries for Portable Applications, Ed. 1.0, December 2003

Airport Lighting

FAA Specification for L-823 Plug and Receptacle, Cable Connectors AC No: 150/5345-26D;
FAA Specification for Wind Cone Assemblies – AC No: 150/5345-27E (*excluding photometrics*);
FAA Specification for Obstruction Lighting Equipment – AC No: 150/5345-43G (*excluding photometrics*);
FAA Specification for Runway and Taxiway Light Fixtures – AC No: 150/5345-46E (*excluding photometrics*);
FAA Specification for Series to Series Isolation Transformers for Airport Lighting Systems – AC No: 150/5345-47C

**ENERGY STAR Testing
Product Family Guideline**

(Using IEC 62301 Household electrical appliances – Measurement of standby power)

Refrigerated Beverage Vending Machines
(Indoor/ Outdoor / Protected locations)

ENERGY STAR Program Requirements Product Specification for Refrigerated Beverage Vending Machines, Version 3.1; ASHRAE Standard 32.1-2004, Methods of Testing for Rating Vending Machines for Bottled, Canned, and Other Sealed Beverages; 10 CFR Part 431 Subpart Q; 10 CFR Part 431.294

Televisions

ENERGY STAR Program Requirements for Televisions, Version 6.1; IEC 62087, Ed 2.0 and Ed 3.0: Methods of Measurement for the Power Consumption of Audio, Video and Related Equipment; CEA-2037: Determination of Television Average; CEA: Procedure for DAM Testing; ENERGY STAR Test Method for Televisions, Rev. Aug-2010; Final Rule Test Procedures for Television Sets incorporated in Appendix H to Subpart B of 10 CFR § 430 and 10 CFR § 429.25



Test Technology

Test Method(s)^{2,3}

ENERGY STAR Testing (cont'd)

Computers

Computer Types Tested:
Desktops & Notebooks;
Workstations;
Game Consoles;
Small-Scale Servers; Thin Clients

ENERGY STAR Program Requirements Product Specification for Computers, Version 6.1; EPRI Generalized Test Protocol for Calculating the Energy Efficiency of Internal Ac-Dc and Dc-Dc Power Supplies (for Products that have Internal, Multi-output, or Single Output with Integral Cooling Power Supplies); ENERGY STAR Test Method for Computers, Rev. August-2014

Telephony

ENERGY STAR Program Requirements for Telephony, Version 3.0; ENERGY STAR Test Method for Telephony Rev. November-2013

Computer Servers

ENERGY STAR Test Procedure for Determining the Power Use of Computer Servers at Idle and Full Load (Appendix A of Specification); ENERGY STAR Test Method for Computer Servers, Rev. April 2016; Generalized Internal Power Supply Efficiency Test Protocol, Rev. 6.6 (available at www.efficientpowersupplies.org); Standard Performance Evaluation Corporation (SPEC) most current Server Efficiency Rating Tool (SERT), Version 1.1.1

Data Center Storage

ENERGY STAR Program Requirements for Data Center Storage, Version 1.0; Test Method for Data Center Storage Equipment, Rev. August 2013; Product Specification for Data Center Storage Equipment, Rev. August 2013; SNIA Emerald Power Efficiency Measurement Specification v2.0.2

Large Network Equipment

ENERGY STAR Product Specification for Large Network Equipment (Version 1.0); ENERGY STAR Test Method for Large Network Equipment (December 2015)

Displays

ENERGY STAR Program Requirements Product Specification for Displays, Version 7.1; ENERGY STAR Test Method for Determining Displays Energy Use Version 6.0 – Rev. September 2015; IEC 62087, Ed 2.0, Ed 3.0: Methods of Measurement for the Power Consumption of Audio, Video and Related Equipment, CEA-2037: Determination of Television Average Power Consumption



Test Technology

Test Method(s)^{2,3}

ENERGY STAR Testing (cont'd)

Imaging Equipment

ENERGY STAR Program Requirements, Product Specification for Imaging Equipment, Version 2.0; ENERGY STAR Imaging Equipment Test Method, Rev. Sep-2014; EPRI Generalized Test Protocol for Calculating the Energy Efficiency of Internal Ac-Dc and Dc-Dc Power Supplies at: www.efficientpowersupplies.org; External Power Supply (Single- and Multiple-voltage EPSs): Uniform Test Method for Measuring the Energy Consumption of External Power Supplies, Appendix Z to 10 CFR Part 430

Uninterruptible Power Suppliers (UPSs)

ENERGY STAR Program Requirements for Uninterruptible Power Supplies, Version 1.1; ENERGY STAR Test Method for Uninterruptible Power Supplies, Rev. May 2012; IEC 62040-3:2011 Ed. 2; ATIS 060015:2009; ATIS 0600015.04:2010; Optional Test Method (UPSs Capable of Operating at 115 V and 60 Hz that use NEMA 1-15P or 5-15P Plug): Uniform Test Method for Measuring the Energy Consumption of Battery Chargers Incorporated in Appendix Y to Subpart B of 10 CFR 430, Section 4: Testing Requirements for Uninterruptible Power Supplies (DOE test Method)

Set-top Boxes

ENERGY STAR Product Specification for Set-top Boxes, Version 5.0; ENERGY STAR Test Method for Set-top Boxes (CET-2043), Set-top Box (STB) Power Measurement, Rev, August-2013, Subject to the Clarifications in Sections 4.2-4.9

Telecommunications

AC Impedance
AC Power Fault Tests
Acoustic Coupling
Alarm Indications Signal
Analog
Automatic Dialing and Redialing
Bandpass
Battery Noise
Billing Protection
Bit Rates
Bonding and Grounding
Clock Accuracy
Corrosion
Current Drains
Current Limiting Protector Tests
DC Potential Difference

ANSI C12.1;
ANSI C12.20;
AS/ACIF S002;
AS/ACIF S003;
AS/ACIF S004;
AS/ACIF S006;
AS/ACIF S016;
ATIS 0600315;
ATT-TP-76200 (DC Power);
ETSI TBR3 (*Only Layer 2 & 3*);
ETSI TBR4;
ETSI TBR12;
ETSI TBR13;
FCC 47 CFR Part 68;
GR-1089-CORE;
GR-295-CORE;



Test Technology

Test Method(s)^{2,3}

Telecommunications (cont'd)

DC Resistance	IC CS-03, Part I, Issue 9, Amendment 4, 2010;
Distribution Voltage Drops	IC CS-03, Part II, Issue 9, Amendment 1, 2012;
DTMF Signaling	IC CS-03, Part V, Issue 9, Amendment 1, 2009;
Effect of Internal Heating	IC CS-03, Part VI, Issue 9, Amendment 1, 2012;
Effect of Operating Temperature	IC CS-03, Part VII, Issue 9, Amendment 4, 2012;
Effect of Polyphase Loading	IC CS-03, Part VIII, Issue 9, Amendment 4, 2009;
Effect of Relative Humidity	ITU-T G.703;
Effect of Storage Temperature	ITU-T G.823;
Specifications for Approval of Type of	LMB-EG-07;
Electricity Meters, Instrument	TIA TSB-31;
Transformers and Auxiliary Devices	TIA-168-B;
Effect of Temporary Overloads	Verizon TPR 9103;
Electrical Fast Transients	Verizon TPR 9203;
Electrical Safety (GR-1089-CORE)	Verizon TPR 9204;
Encoded Analog Content	Verizon TPR 9205;
Equality of Current Circuits	Verizon TPR 9301;
Extraneous AC Energy	Verizon TPR 9302;
Frame Structure	Verizon TPR 9305;
Frequency Response	Verizon TPR 9502;
Hazardous Voltage	Verizon TPR 9503;
Hearing Aid Compatibility-Magnetic	Verizon TPR 9504;
High Output Voltage Shutdown	Verizon TPR 9505;
Immunity	Verizon TPR 9801
Independence of Elements	
Insulation Resistance	
Intrinsic Jitter	
Intrusion Tones	
ISDN	
Jitter Tolerance	
Labeling Requirements	
Leakage Current	
Lightning Surge	
Limitations on Automatic Redialing	
Line Connection	
Line Rate	
Listing Requirements	
Load Performance	
Longitudinal Steady State Voltage Stress	
Low Input Voltage Recovery	
Low Input Voltage Shutdown	
Mechanical Characteristics	
Mechanical Shock	
Mechanical Vibration	
Meter Losses	
Minimum Operating Voltage	
Noise Immunity No Load	



Test Technology

Test Method(s)^{2,3}

Telecommunications (cont'd)

Output Frame Structure
Output Jitter
Output Port Signal Coding
Output Power
Output Structure
Output Timing
Over and Under Voltage Transients
Physical Characteristics
Pulse Repetition
Pulse Template
Pulse Shape
Rain Tightness
Return Loss
Return to Service
Ringer Equivalence Number
Ring-in/Loop-out Exchange lines
Sensitivity
Short Circuit Tests
Signal Power
Signaling Requirements
Stability of Performance
Starting Load
Steady State Input DC Voltage
Steady State Power Induction
Supervisory Tones
Switch block/Transmission Path
 Performance
Temperature Rise
Timing Functions
Transient Tests
Transmitted Digital Signal Power
Transmitted Voltages
Transmitter Spectral Response
Transportation Drop
Transportation Vibration
Transverse Balance
Variation of Ambient Temperature
Variation of Frequency
Variation of Power Factor
Variation of Voltage
Waveform Shape
Weather Simulation
xDSL



Test Technology

Test Method(s)^{2,3}

Electrical / Fiber (ESL)

Current Carrying Capacity Test	FOTP-181
Electrical Requirements	ANSI/NFPA 70; GR-487; GR-950; GR-1209; GR-1221; GR-1435
Point Discontinuities	FOTP-59; FOTP-61
Capacitance	MIL-STD-202 F & G, Method 305
Contact Resistance	MIL-STD-202 F & G, Method 307
Current/Voltage/Watts (up to 225 amps and 600 volts)	ANSI C.12.1, C.12.20; LMB-EG-07
Dielectric Constant	ASTM D250
Dielectric Strength (Withstand)	MIL-STD-202 F & G, Method 301; ASTM D149
Inductance and Impedance	MIL-STD-883 E & F, Method 309
Insulation Resistance	MIL-STD-202 F & G, Method 302; MIL-STD-883 E & F, Method 1003
Contact Bounce	MIL-STD-202 F & G, Method 310 (Measured with Oscilloscope)

Electromagnetic Compatibility


Emissions

Radiated and Conducted Emissions (3 m semi-anechoic chamber, 10 m OATS with weather protection)	CISPR 32; EN 55032; CISPR 22; EN 55022; AS/NZS CISPR 22; KN 22; CISPR 11; EN 55011; AS/NZS CISPR 11; KN 11; ANSI C63.4:2014; FCC-MP-5:1986; ICES-001; ICES-003; CNS 13438 (up to 6 GHz); VCCI V-3 (up to 6 GHz); VCCI-CISPR 32; TCVN 7189:2009
---	--

Harmonics and Flicker	EN 61000-3-2; EN 61000-3-3
-----------------------	----------------------------

Immunity

Electrostatic Discharge	IEC/EN/KN 61000-4-2; ISO 10605 (excluding section 10 vehicle test method)
Radiated Immunity	IEC/EN/KN 61000-4-3
EFT/B	IEC/EN/KN 61000-4-4
Surge	IEC/EN/KN 61000-4-5; IEEE C62.41-1; IEEE C62.41-2; IEEE C62.45



Test Technology

Test Method(s)^{2,3}

Electromagnetic Compatibility (cont'd)

Immunity (cont'd)

Conducted Immunity IEC/EN/KN 61000-4-6

Magnetic Immunity IEC/EN/KN 61000-4-8

Pulse Magnetic Field IEC/EN 61000-4-9

Damped Oscillatory Magnetic Field IEC/EN 61000-4-10

Voltage Dips and Interrupts IEC/EN/KN 61000-4-11

Oscillatory Waves Immunity IEC/EN 61000-4-12

Damped Oscillatory Wave Immunity IEC/EN 61000-4-18

Voltage Dips, Short Interruptions and Variations on D.C. Input Power Port IEC/EN 61000-4-29

Family, Product or Industry Specific Specifications

ANSI C12.1; ANSI C12.20; KN 14-1; KN 14-2; KN 24; CISPR 24; IEEE C37.90; IEEE C37.90.1; IEEE C37.90.2; IEEE C37.90.3; IEEE-299 1997 and 2006; IEEE C57.13 (*CT Testing only*); IEC C57.13.6 (*CT Testing only*); IEEE 1613; ASTM D4935:2010; EN 12184; ETSI EN 300 132-2; IEC/EN 50065-1, IEC/EN 50065-2-1; IEC/EN 50065-2-3; IEC/EN 50121-1; IEC/EN 50121-3-2; IEC/EN 50121-4; IEC/EN 50121-5; IEC/EN 50130-4; IEC/EN 50270; EN 50370-1; EN 50370-2; EN 50470-1, EN 50470-3; EN 55014-1 (*excluding measurement of clicks*); EN 55014-2; EN 55103-1; EN 55103-2; EN 55024; IEC 60044-1 (*CT Testing only*); IEC/EN 60255-26; IEC/EN/KN 60601-1-2; IEC/EN 60601-2-2 through -2-13; IEC/EN 60601-2-16 through -2-30; IEC/EN 60601-2-32 through -2-42; IEC/EN 60601-2-44; IEC/EN 60601-2-45; IEC/EN 60601-2-46; IEC/EN 60601-2-47; IEC/EN 60601-2-49; IEC/EN 60601-2-50; IEC/EN 60601-2-51; IEC/EN 60601-2-52; IEC/EN 60601-2-54; EN/KN 60945; EN/KN 61000-6-1; EN/KN 61000-6-2; EN/KN 61000-6-3; EN/KN 61000-6-4; IEC/EN 61326-1; IEC/EN 61326-2-1; IEC/EN 61326-2-2; IEC/EN 61326-2-3; IEC/EN 61326-2-4; IEC/EN 61326-2-5; IEC/EN/KN 61547; IEC/EN 61850-3; IEC 61869-2 (*CT Testing only*); IEC/EN 62052-11; IEC/EN 62053-11; IEC/EN 62053-21; IEC/EN 62053-22; IEC/EN 62053-23; UL/CSA/IEC/EN 62368-1;



Test Technology

Test Method(s)^{2,3}

Electromagnetic Compatibility (cont'd)

Family, Product or Industry Specific Specifications (cont'd)

Telcordia GR-1089; ETSI EN 300 386;
ISO 7176-21 (Wheelchair EMC);
RTCA/DO-160A through G (*only Sections 15 to 19, 22 and 25*); MIL-STD-461A through C using MIL-STD-462 (*excluding transient test RS105 in B and C*);
MIL-STD-461D using MIL-STD 462D (*excluding transient test RS105*);
MIL-STD-461E (*excluding transient test RS105*);
MIL-STD-461F (*excluding reverberating chamber test method RS-103 and transient test RS105*);
MIL-STD-461G (*excluding reverberating chamber test method RS-103 and transient test RS105*);
MIL-STD-704A-F with MIL-HDBK-704-1 through 8;
MIL-STD-1275A through E;
DOD-STD-1399, Sections 070 Part 1 1979;
MIL-STD-1399, Sections 300A and 300B;
MIL-PRF-28800F

Automotive EMC

CISPR 25; ISO 7637-2; ISO 11452-2; ISO 11452-4;
ISO 13766; ISO 14982; SAE J1455

Intentional and Unintentional Radiators using ANSI C63.4:2014 and ANSI/TIA 603-D (Unless otherwise noted); (Excluding SAR and HAC)

47 CFR, FCC Parts 2, 11 and 15
(*Using ANSI C63.4:2014, ANSI C63.10:2013, ANSI C63.17:2013, and FCC KDB 905462 D02 (v02)*);
47 CFR, FCC Part 18 (*using MP-5:1986*);
47 CFR, FCC Parts 20 (Signal Boosters: *using FCC KDB 935210 D03 (v04), FCC KDB 935210 D04 (v02), and FCC KDB 935210 D05 (v01r01)*), 22, 24, 25, 27, 74, 80, 87, 90, 95, 96, 97 and 101 (*using ANSI/TIA 603-D*);
AZ/NZS 4268; AZ/NZS 4295; AZ/NZS 4281;
AZ/NZS 4355; AZ/NZS 4365; AZ/NZS 4768;
AZ/NZS 4770; AZ/NZS 4771; ARIB STD-T96;
ETSI EN 300 086-1; ETSI EN 300 113-1;
ETSI EN 300 113-2; ETSI EN 300 127;
ETSI EN 300 132-1; ETSI EN 300 220-1;
ETSI EN 300 220-2; ETSI EN 300 220-3;
ETSI EN 300 328; ETSI EN 300 330-1;
ETSI EN 300 330-2; ETSI EN 300 342-1;
ETSI EN 300 342-2; ETSI EN 300 342-3;
ETSI EN 300 385; ETSI EN 300 390-1;
ETSI EN 300 390-2; ETSI EN 300 440-1;
ETSI EN 300 440-2; ETSI EN 300 487;
ETSI EN 300 609-4; ETSI EN 300 683;
ETSI EN 300 198; ETSI EN 300 786; ETSI EN 301 441;
ETSI EN 301 489 series 1-34; ETSI EN 301 502;
ETSI EN 301 893; ETSI EN 302 217; ETSI EN 302 502;
ETSI EN 302 208-1; ETSI EN 302 208-2;



Test Technology

Test Method(s)^{2,3}

Electromagnetic Compatibility (cont'd)

*Intentional and Unintentional Radiators
(cont'd)*

HKCA 1001; HKCA 1002; HKCA 1003; HKCA 1004;
HKCA 1005; HKCA 1006; HKCA 1007; HKCA 1008;
HKCA 1010; HKCA 1015; HKCA 1016; HKCA 1019;
HKCA 1020; HKCA 1022; HKCA 1026; HKCA 1027;
HKCA 1030; HKCA 1034; HKCA 1035; HKCA 1036;
HKCA 1037; HKCA 1039; HKCA 1041; HKCA 1042;
HKCA 1043; HKCA 1044; HKCA 1045; HKCA 1046;
HKCA 1047; HKCA 1048; HKCA 1049; HKCA 1050;
HKCA 1052; HKCA 1053; HKCA 1054; HKCA 1056;
HKCA 1061; HKCA 1063;
IMDA TS SRD; IMDA TS LMR; IMDA TS AR;
IMDA TS CT-CTS; IMDA TS WBA; IMDA TS RPG;
IMDA TS UWB; IS2034-1; IS2045-0; LP0002; PLMN09;
RSS-102; RSS-111; RSS-112; RSS-117; RSS-118;
RSS-119; RSS-123; RSS-125; RSS-127; RSS-129;
RSS-130; RSS-131; RSS-132; RSS-133; RSS-134;
RSS-135; RSS-137; RSS-138; RSS-139; RSS-141;
RSS-142; RSS-170; RSS-181; RSS-182; RSS-191;
RSS-192; RSS-194; RSS-195; RSS-196; RSS-197;
RSS-199; RSS-210; RSS-213; RSS-215; RSS-220;
RSS-236; RSS-238; RSS-243; RSS-244; RSS-247;
RSS-287; RSS-288; RSS-310; RSS-GEN

Battery Testing

Short-Circuit/External/Internal/Abnormal
Charging (high charging rate)

CTIA Certification Requirements for Battery System
Compliance to IEEE 1625; GR 3150; GR 3168;
IEC 62133; IEEE 1625; UL 1642; UL 2054;
UN/DOT 38.3

Continuous Low-Rate Charge

IEC 62133

Incorrect Installation of a Single Cell

IEC 62133

Forced Discharge

IEC 62133; UL 1642; UL 2054; UN/DOT 38.3

Abusive Overcharge

UL 2054

Overcharge

IEC 62133; UN/DOT 38.3

External Reverse Polarity

GR 3150; GR 3168

Overdischarge

GR 3150; GR 3168

EMC

GR 3150; GR 3168

Cell Orientation

CTIA Certification Requirements for Battery System
Compliance to IEEE 1625; IEEE 1625



Test Technology

Test Method(s)^{2,3}

Battery Testing (cont'd)

Cell Monitoring	CTIA Certification Requirements for Battery System Compliance to IEEE 1625; IEEE 1625
Evaluation of Excess Lithium Plating and Short-Circuit Test on Cycled Cells	CTIA Certification Requirements for Battery System Compliance to IEEE 1725; IEEE 1725
Cell/Pack Overcurrent Protection Device	CTIA Certification Requirements for Battery System Compliance to IEEE 1725 & IEEE 1625; IEEE 1625; IEEE 1725;
Limit Output Current (External Short-Circuit Considerations)	CTIA Certification Requirements for Battery System Compliance to IEEE 1725; IEEE 1725
ESD	CTIA Certification Requirements for Battery System Compliance to IEEE 1725 & IEEE 1625; IEEE 1625; IEEE 1725
Battery Management Circuit Design	CTIA Certification Requirements for Battery System Compliance to IEEE 1725 & IEEE 1625; IEEE 1625; IEEE 1725
Current Limiting	CTIA Certification Requirements for Battery System Compliance to IEEE 1725 & IEEE 1625; IEEE 1625; IEEE 1725

Note: For Product Safety tests, this laboratory meets A2LA R104 – *General Requirements: Accreditation of Field Testing and Field Calibration Laboratories* excluding Acoustic Pressure, Overvoltage/Line Cross, Surge/Impulse, and Flammability.

¹ A2LA provides accreditation to the U.S. EPA’s [Conditions and Criteria for Recognition of Laboratories for the ENERGY STAR Program](#) by verifying an organization’s compliance to A2LA document [R222 - Specific Requirements - EPA ENERGY STAR Accreditation Program](#) and to the related test methods listed above.

Accreditation by A2LA does not infer Recognition by the EPA for ENERGY STAR testing. Please verify this organization’s recognition status by using the EPA’s searchable database, located at http://www.energystar.gov/index.cfm?fuseaction=recognized_bodies_list.show_RCB_search_form

² When the date, revision or edition of a test method standard is not identified on the scope of accreditation, the laboratory is expected to be using the current version within one year of the date of publication, per part C., Section 1 of A2LA R101 - *General Requirements- Accreditation of ISO-IEC 17025 Laboratories*.

³ This laboratory is only accredited for testing activities outlined within the test methods listed above. Reference to any other activity within these standards, such as risk management or risk assessment, does not fall within the laboratory’s accredited capabilities.



On the following products or types of products: Information Technology Equipment, Household Appliances, Industrial Equipment, Audio/Visual Equipment, Wireless Equipment, Medical Electrical Equipment, Radio Equipment, Electric Tools, Lighting Equipment, Telecommunications Equipment, Power Supplies, Batteries

⁴Exclusion Tables

Table #1: Clauses excluded from AS/NZS and EN 60950-1

Standard	Clause	Test
60950-1		
	2.10.4	Comparative Tracking Index measurements
	2.10.5.4	Partial Discharge Test (on semiconductors)
	2.10.8.4	Abrasion resistance test
	3.2.5.1	Flexing test of AC power supply cords
	4.2.8	CRT tests
	4.3.12	Flammable liquid measurement
	4.3.13.2	Ionizing Radiation
	4.3.13.3	Tests after UV exposure on material
	4.3.13.4	Human exposure to UV radiation
	4.3.13.5	Laser radiation
	4.6.2	Hot flaming oil
	Annex AA	Mandrel test

Table #2: Clauses excluded from EN 60065-1

Standard	Clause	Test
60065-1		
	6.1	Ionizing radiation
	6.2	Laser radiation
	7	Vicat softening
	8.18	Endurance test for wound components
	12.3	Barrel test for remote controls
	13.4	Comparative tracking index measurement
	14.1	Surge on resistors
	14.2	RC Circuit tests
	16	Cord flexing
	18	CRT tests
	Annex H	Insulated winding wire

Table #3: Clauses excluded from EN 61010-1

Standard	Clause	Test
61010-1		
	6.7.1.2	CTI measurement
	10.5.3	Vicat softening
	12.2.1	Ionizing radiation
	12.5.2	Ultrasonic pressure
	12.6	Laser radiation
	13.3	High vacuum devices (CRT)



⁴Exclusion Tables (cont'd)

Table #4: Clauses excluded from EN 60335-1

Standard	Clause	Test
60335-1		
	19	IEC 61000-4-13 Mains Signal Test
	22	Oxygen Bomb (for rubber ageing) Methylated spirit and pressure (for testing ceramic insulation)
	24	Some Component testing. (SAF typically requires Safety critical components to have appropriate certification)
	Annex F	Capacitor testing
	Annex H	Endurance testing (special apparatus)
	Annex J	Coated PCB test
	Annex R	Software validation

Table #5: Clauses excluded from IEC/EN 60335-2

Standard	Clause	Test
60335-2-7	15	Aging for elastomeric parts
60335-2-34	6	Running overload test (for motors)
60335-2-36	30	Glow-wire test
60335-2-37	30	Glow-wire test
60335-2-38	30	Glow-wire test
60335-2-39	30	Glow-wire test
60335-2-40	22	Vacuum pressure
60335-2-42	30	Glow-wire test
60335-2-48	30	Glow-wire test
60335-2-54	21	Mechanical tests for current carrying hoses
60035-2-58	15/ Annex BB	Ageing for elastomeric parts
	Annex CC	Back siphonage
60335-2-69	21	Mechanical tests for current carrying hoses

Testing Activities Performed in Support of FCC Declaration of Conformity and Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1⁵:

Rule Subpart/Technology	Test Method	Maximum Frequency
Unintentional Radiators		
Part 15B	ANSI C63.4:2014	40 GHz
Industrial, Scientific, and Medical Equipment		
Part 18	FCC MP-5 (February 1986)	6 GHz
Intentional Radiators		
Part 15C	ANSI C63.10:2013	40 GHz
Unlicensed Personal Communication Systems Devices		
Part 15D	ANSI C63.17:2013	40 GHz



Testing Activities Performed in Support of FCC Declaration of Conformity and Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1 ⁵ :		
Rule Subpart/Technology	Test Method	Maximum Frequency
U-NIII without DFS Intentional Radiators		
Part 15E	ANSI C63.10:2013	40 GHz
U-NIII with DFS Intentional Radiators		
Part 15E	FCC KDB 905462 D02 (v01)	40 GHz
UWB Intentional Radiators		
Part 15F	ANSI C63.10:2013	40 GHz
BPL Intentional Radiators		
Part 15G	ANSI C63.10:2013	40 GHz
White Space Device Intentional Radiators		
Part 15H	ANSI C63.10:2013	40 GHz
Commercial Mobile Services (FCC Licensed Radio Service Equipment)		
Parts 22 (cellular), 24, 25 (non-microwave), and 27	ANSI/TIA-603-D; TIA-102.CAAA-D	40 GHz
General Mobile Radio Services (FCC Licensed Radio Service Equipment)		
Parts 22 (non-cellular), 90 (non-microwave), 95, 97, and 101 (non-microwave)	ANSI/TIA-603-D; TIA-102.CAAA-D	40 GHz
Citizens Broadband Radio Services (FCC Licensed Radio Service Equipment)		
Part 96	ANSI/TIA-603-D; TIA-102.CAAA-D	40 GHz
Maritime and Aviation Radio Services		
Parts 80 and 87	ANSI/TIA-603-D	40 GHz
Microwave and Millimeter Bands Radio Services		
Parts 25, 74, 90 (90Y, 90Z, DSRC), and 101	ANSI/TIA-603-D; TIA-102.CAAA-D	40 GHz
Signal Boosters		
Part 20 (Wideband Consumer Signal Boosters, Provider-specific signal boosters, and Industrial Signal Boosters)	FCC KDB 935210 D03 (v04); FCC KDB 935210 D04 (v02); FCC KDB 935210 D05 (v01r01)	40 GHz

⁵Accreditation does not imply acceptance to the FCC equipment authorization program. Please see the FCC website (<https://apps.fcc.gov/oetcf/eas/>) for a listing of FCC approved laboratories.



Accredited Laboratory

A2LA has accredited

MET LABORATORIES, INC.

Baltimore, MD

for technical competence in the field of

Electrical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of *R222 - Specific Requirements - EPA ENERGY STAR Accreditation Program* in the Electrical field. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated 8 January 2009*).



Presented this 5th day of June 2017.

A handwritten signature in black ink, written over a horizontal line.

President and CEO
For the Accreditation Council
Certificate Number 0591.01
Valid to January 31, 2019

For the tests to which this accreditation applies, please refer to the laboratory's Electrical Scope of Accreditation.