



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

DAYTON T. BROWN, INC.  
1175 Church Street  
Bohemia, NY 11716-5031  
Authorized Representative/Quality Manager  
Mary Alice Der Aris – Phone: 631 244 6315  
1 800 TEST456 – Fax: 631 589 4046  
Email: [test@dtbtest.com](mailto:test@dtbtest.com) / [www.dtbtest.com](http://www.dtbtest.com)

ACOUSTICS & VIBRATION

Valid To: December 31, 2020

Certificate Number: 0767.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following acoustics & vibration tests on military, aerospace, automotive and commercial products:

Vibration (Sine, Random, Sine on Random, Gunfire, Shipboard, Seismic)  
Combined Environments and Reliability (Vibration and Temperature)  
Classical Shock (Half Sine, Sawtooth, Trapezoidal Wave)  
Pyroshock  
Airborne and Structure Borne Noise Measurements

**Test Technology:**

**Maximum Capability:**

***Vibration with Combined Environments***

**Temperature Range: (-65 to +275) °F**  
**Humidity Range: (30 to 98) %RH**

***Random***

Force Rating	55,000 lbf
Frequency Range	(1 to 3,000) Hz
Maximum Level	200 G's
Displacement	3 inches Peak-to-Peak

***Sinusoidal***

Force Rating	55,000 lbf
Frequency Range	(1 to 3,000) Hz
Sine Velocity Continuous Duty	125 in/sec
Sine Velocity Intermittent Duty	135 in/sec
Maximum Level	200 G's
Displacement	3 inches Peak-to-Peak

***Classical Shock***

Force	80,000 lbf
Waveforms	Sine, Sawtooth, Trapezoid

**Test Technology:**

***Pyroshock***

Level  
Frequency Range

***Displacement***

Seismic

***Airborne and Structure Borne Noise Movements***

**Testing Criteria:\***

Airborne And Structure Borne Noise Measurement

Acceleration (Centrifuge)

Pyro Shock

Shock Test, High Impact on Shipboard Machinery,  
Equipment and Systems

Vibration

**Maximum Capability:**

(500 to 32,000) G's  
(20 to 50,000) Hz

3 inches Peak-to-Peak  
10 ½ inches

**Test Method(s):**

MIL-STD 740-1; MIL-STD 740-2

MIL-STD 810C, Method 513.2;  
MIL-STD 810D, Method 513.3;  
MIL-STD 810E, Method 513.4;  
MIL-STD 810F, Method 513.5;  
MIL-STD 810G, Method 513.6;  
MIL-STD 202G, Method 212A;  
RTCA/DO-160E;  
RTCA/DO-160F;  
RTCA/DO-160G

MIL-STD 1540;  
MIL-STD 810F, Method 517;  
MIL-STD 810G, Method 517.1

MIL-S-901D<sup>1</sup>, LWH and MWH (superseded by);  
MIL-DTL-901, LWH and MWH;  
MIL-STD 202G, Method 207B

MIL-STD 810C, Method 514.2;  
MIL-STD 810D, Method 514.3;  
MIL-STD 810E, Method 514.4;  
MIL-STD 810F, Method 514.5;  
MIL-STD 810G, Method 514.6;  
MIL-STD 810D, Method 520.0;  
MIL-STD 810E, Method 520.1;  
MIL-STD 810F, Method 520.2;  
MIL-STDG, Method 520.5;  
IEC 60068-2-6 (2007-12, Edition 7.0);  
MIL-STD 202G, Methods 201A, 204D, and 214A;  
RTCA/DO-160E (Section 8);  
RTCA/DO-160F (Section 8);  
RTCA/DO-160G (Section 8);  
MIL-STD 1344A;  
MIL-STD 167-1; MIL-STD 167-1A

**Test Technology:**

Gunfire Vibration, Aircraft

Shock

**Maximum Capability:**

MIL-STD 810C, Method 519.2;  
MIL-STD 810D, Method 519.3;  
MIL-STD 810E, Method 519.4;  
MIL-STD 810F, Method 519.5;  
MIL-STD 810G, Method 519.6

MIL-STD 810C, Method 516.2;  
MIL-STD 810D, Method 516.3;  
MIL-STD 810E, Method 516.4;  
MIL-STD 810F, Method 516.5;  
MIL-STD 810G, Method 516.6;  
MIL-STD 202G, Method 213B;  
MIL-STD 1344A;  
RTCA/DO-160E (Section 7);  
RTCA/DO-160F (Section 7);  
RTCA/DO-160G (Section 7);  
IEC 60068-2-27 (2008-02, Edition 4.0)

\*Also using customer supplied test methods directly related to the capabilities listed above.

<sup>1</sup> Scope contains obsolete, inactive or superseded methods.



## *Accredited Laboratory*

A2LA has accredited

**DAYTON T. BROWN, INC.**

*Bohemia, NY*

for technical competence in the field of

## Acoustics and Vibration Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 13<sup>th</sup> day of December 2018.

A handwritten signature in black ink, written over a horizontal line.

President and CEO  
For the Accreditation Council  
Certificate Number 0767.01  
Valid to December 31, 2020

*For the tests to which this accreditation applies, please refer to the laboratory's Acoustics and Vibration Scope of Accreditation.*