



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

ALBIS PLASTICS CORPORATION
1720 E. Main Street
Duncan, SC 29334
Ernest Whittaker Phone: 864 721 2415
ernest.whittaker@albis.com

MECHANICAL

Valid To: December 31, 2020

Certificate Number: 1997.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests on plastics and polymers:

| <u>Test Method(s)</u> | <u>Test Description</u> |
|-----------------------------|--|
| ASTM D789-18 | Determination of Relative Viscosity of Polyamides (PA) |
| ASTM D5630-13 (Procedure B) | Ash Content in Thermoplastics |
| ASTM D6869-17 | Determination of Water by Coulometric Karl Fischer Titration |
| ASTM D6980-17 (Annex 1) | Determination of Moisture in Plastics by Loss in Weight |
| ISO 178 (2010, 2013) | Determination of Flexural Properties |
| ISO 179-1 (2010) | Determination of Charpy Impact Properties |
| ISO 527-1, -2 (2012) | Determination of Tensile Properties Parts 1 & 2 |
| ISO 1133-1, -2 (2011) | Determination of the Melt Mass – Flow rate (MFR) and Melt Volume – Flow Rate (MVR) of Thermoplastics |



Accredited Laboratory

A2LA has accredited

ALBIS PLASTICS CORPORATION

Duncan, SC

for technical competence in the field of

Mechanical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 14th day of December 2018.

A blue ink signature of the Senior Director of Accreditation Services.

Senior Director, Accreditation Services
For the Accreditation Council
Certificate Number 1997.01
Valid to December 31, 2020

For tests to which this accreditation applies, please refer to the laboratory's Mechanical Scope of Accreditation.