



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

TYSON FOOD SAFETY AND LABORATORY SERVICES REGIONAL LABORATORY  
also doing business as WBA ANALYTICAL LABORATORIES  
6301 Browning Ct.  
North Richland Hills, TX 76180  
Steven Young Phone: 817 514 3423

BIOLOGICAL

Valid To: October 31, 2020

Certificate Number: 2224.01

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA Food Testing Program Requirements, containing 2015 "AOAC International Accreditation Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Foods and Pharmaceuticals"), accreditation is granted to this laboratory to perform the following tests on food products including livestock food and feed products and research and evaluation of new technologies:

<u>Test(s)</u>	<u>Test Method</u>	<u>Reference(s)</u>
APC Petrifilm	WI-M-109	AOAC 990.12
Anaerobic Plate Count	WI-M-109	AOAC 990.12 ( <i>modified</i> )
Biochemical Identification	WI-M-103	AOAC 2011.17, 2012.02
<i>Campylobacter</i> spp. Enumeration	WI-M-121	MLG Ch. 41
<i>Clostridium</i> spp. Analysis	WI-M-115	BAM Manual Ch.16 ( <i>modified</i> ); AOAC 976.30
Coliform Petrifilm	WI-M-110	AOAC 991.14
<i>Escherichia coli</i> Petrifilm	WI-M-110	AOAC 998.08, 991.14
<i>E. coli</i> O157 Confirmation	WI-M-120	MLG Ch.5 ( <i>modified</i> ); FDA BAM Ch. 4A
<i>E. coli</i> O157 (BAX Real Time)	WI-M-120	AOAC RI 031002
<i>E. coli</i> O157 UP (VIDAS)	WI-M-120	AOAC RI 060903 ( <i>modified</i> )

<u>Test(s)</u>	<u>Test Method</u>	<u>Reference(s)</u>
Enterobacteriaceae Petrifilm	WI-M-117	AOAC 2003.01
<i>Lactobacillus</i> Analysis (Pour Plate)	WI-M-112	CCFRA 14.1
<i>Listeria</i> Confirmation <i>Listeria</i> spp. (BAX) <i>Listeria</i> spp. (Bio-Rad) <i>L. monocytogenes</i> (BAX)	WI-M-119	MLG Ch.8; AOAC RI 030502; AOAC RI 090701; AOAC RI 070202
<i>Salmonella</i> (BAX) <i>Salmonella</i> Confirmation <i>Salmonella</i> (VIDAS SPT)	WI-M-118	AOAC RI 100201; BAM Ch. 5 ( <i>modified</i> ); MLG Ch.4 AOAC 2013.01
<i>Staphylococcus</i> Enterotoxin <i>Staphylococcus aureus</i> Petrifilm	WI-M-111	AOAC 2007.06; AOAC 2003.07; AOAC 2003.11
Total/Fecal Coliform via IDEXX	WI-M-110	AOAC 991.15
Yeast and Mold Petrifilm (Rapid)	WI-M-113	AOAC RI 121301

Key:

AOAC OMA = Official Methods of Analysis of the AOAC International

AOAC RI = AOAC Research Institute

BAM = Bacteriological Analytical Manual

CCFRA = Campden and Chorelywood Food Research Association

Compendium = Compendium of Methods for the Microbiological Examination of Foods- (CMMEF)

MLG = USDA/FSIS Microbiology Laboratory Guidebook

WI = Work Instruction



## Accredited Laboratory

A2LA has accredited

**TYSON FOOD SAFETY AND LABORATORY SERVICES REGIONAL LABORATORY ALSO  
DOING BUSINESS AS WBA ANALYTICAL LABORATORIES**

*North Richland Hills, TX*

for technical competence in the field of

**Biological Testing**

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA's R204 - *Specific Requirements - Food and Pharmaceutical Testing Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to *joint ISO-ILAC-IAF Communiqué dated April 2017*).



Presented this 10<sup>th</sup> day of September 2018.

A blue ink signature of the Vice President of Accreditation Services.

Vice President, Accreditation Services  
For the Accreditation Council  
Certificate Number 2224.01  
Valid to October 31, 2020  
Revised February 19, 2019

*For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.*